












HAMBURG INDUSTRIES CO., LTD.

6F., No.12, Lane 270, Sec.3, Pei Shen Rd., Shen Keng District, New Taipei City, Taiwan 222

H&V SMART CARD ACCEPTOR ---- 700 Series (Landing Technology)

----- **EMV Compliant**

<p>ICA-700 Type1</p>  <ol style="list-style-type: none"> 1. 8, 16 pin 2. DIP or SMT Type (with post) 3. Sealed Switch: Normally Open 4. Dim.: 55.50L x 40.00W x 5.80H mm 5. Durability: 200,000 cycles min. 	<p>ICA-700 Type2</p>  <ol style="list-style-type: none"> 1. 8 pin 2. DIP or SMT Type (with post) 3. Sealed Switch: Normally Open 4. Dim.: 55.90L x 40.00W x 5.80H mm 5. Durability: 200,000 cycles min. 	<p>ICA-702</p>  <ol style="list-style-type: none"> 1. 8 pin 2. DIP or SMT Type (with post) 3. Blade Switch: Normally Open 4. Dim.: 55.50L x 40.00W x 5.80H mm 5. Durability: 200,000 cycles min.
<p>ICA-703</p>  <ol style="list-style-type: none"> 1. 8 pin 2. DIP or SMT Type (with post) 3. Blade Switch: Normally Open 4. Dim.: 55.50L x 40.00W x 5.80H mm 5. Durability: 500,000 cycles min. 	<p>ICA-705</p>  <ol style="list-style-type: none"> 1. 8 pin 2. DIP or SMT Type (with post) 3. Sealed Switch: Normally Open 4. Dim.: 55.50L x 40.00W x 5.80H mm 5. Durability: 500,000 cycles min. 	<p>ICA-706</p>  <ol style="list-style-type: none"> 1. 8 pin 2. SMT Type (with post) 3. Sealed Switch: Normally Open 4. Dim.: 56.10L x 40.00W x 6.30H mm 5. Durability: 500,000 cycles min. 6. PCI Compliant
<p>ICA-708</p>  <ol style="list-style-type: none"> 1. 8 pin 2. SMT Type (with post) 3. Blade Switch: Normally Open 4. Dim.: 55.50L x 59.80W x 5.30H mm 5. Durability: 200,000 cycles min. 	<p>ICA-709</p>  <ol style="list-style-type: none"> 1. 8 pin 2. SMT Type (with post) 3. Sealed Switch: Normally Open 4. Dim.: 55.50L x 40.00W x 6.30H mm 5. Durability: 500,000 cycles min. 6. PCI Compliant 	<p>ICA-710</p>  <ol style="list-style-type: none"> 1. 8 pin 2. SMT Type (with post) 3. Sealed Switch: Normally Open 4. Dim.: 57.80L x 38.00W x 6.90H mm 5. Durability: 300,000 cycles min. 6. PCI Compliant

2011, 06

For further information, please contact:

Tel: 886 2 2662 8882 Fax: 886 2 2662 7201-2

Email: Taipei@hamburg.com.tw

URL: <http://www.hamburg.com.tw>