

UL Product iQ

UL'S NEXT GENERATION CERTIFICATIONS SEARCH The same trusted data in a modern search engine. AVAILABLE

LEARN MORE

YDPU2.E255394 Tubing, Extruded Insulating - Component

Page Bottom

Tubing, Extruded Insulating - Component

See General Information for Tubing, Extruded Insulating - Component

HAMBURG INDUSTRIES CO LTD

F255394

6TH FL

12 LANE 270 PEI SHEN RD, SEC 3

SHEN KENG HSIANG, TAIPEI HSIEN 222 TAIWAN

Cat. No.	Max V rms	Max Oper Temp, °C	Color Recognized	Oil-resistance Class[a]	VW-1 Rated[b]
Heat-shrinkable Polyolefin tubing					
H-2	600	125	All except clear	None	Yes
Flexible heat-shrinkable Polyolefin tubing					
H-2(CB)	300	125	All except clear	None	Yes

- [a] Tubing is considered to comply with the optional Oil Resistance requirements only if authorized in the above table and marked "Oil Resistant" (or "Oil Res"), followed by the class (01, 02 or 03).
- [b] Tubing is considered to comply with the optional VW-1 flammability requirements only if authorized in the above table and if so marked.

Marking: Company name or tradename "E255394", catalog designation, inside diameter (before and after recovery for heat-shrinkable tubing), voltage rating, temperature rating in degrees Celsius and date of manufacture (or traceable code) printed on tags attached to both ends of the tubing or printed on the shipping spool label or smallest unit container in which the product is packaged.

Last Updated on 2016-08-19

<u>Questions?</u> <u>Print this page</u> <u>Terms of Use</u> <u>Page Top</u>

♦ 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".